

DOCUMENT SCAN CONTROL SHEET

Document ID 520867

2 LABELS--24 TUBES, 96 TUBES

EPA Reg # 56783-1

Product Name DAMMINIX

Accepted Date 12/28/2009

Document Type PRILAB

Registration ID 29008

New York State Department
of Environmental Conservation
Division of Solid & Hazardous Materials
Pesticide Product Registration

DAMMINIX® A TICK TOXICANT As an aid in the control of ticks (that may carry Lyme Disease) that infest mice and nests of mice found around yards, play areas, parks, brush, paths, and in woodlands.

EPA Reg. No. 56783-1

EPA Est. No. 5693 MA1

ACTIVE INGREDIENT: +* Permethrin ----- 7.4%

INERT INGREDIENTS:----- 92.6%

Total 100.0%

+ (3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2 dichloroethenyl)2, 2-dimethylcyclopropanecarboxylate.

* Cis/trans ratio: Min. 35% (+/-) cis and max. 65% (+/-) trans.

CAUTION: KEEP OUT OF REACH OF CHILDREN

FIRST AID

INGESTION - If swallowed:

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

EXPOSURE, SKIN IRRITATION - If on skin or clothing:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

EYES - If in eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR OUTDOOR APPLICATION ONLY. For the reduction of ticks associated with the mice that serve as reservoirs for pathogens causing Lyme disease and babesiosis. Ticks feeding on these animals become infected and may transmit disease to humans, dogs, and horses.

For best results, place tubes flat on the ground in all brush-covered and wooded areas to be treated. The maximum distance between tubes should not exceed 10 yards in any direction. Treatment should be limited to areas inhabited by mice, and need not include mown lawns or open grasslands. Tubes should be positioned so that mice have access to the open ends. Product works best if not covered by leaves or other material.

FOR TREATMENT AROUND YARDS: Place tubes within 1 yard of the edge of mown lawn, in flower gardens, under bushes and along fences, wherever mice may reside. For complete coverage, all brush-covered or wooded areas within 50 yards surrounding the yard area to be protected should be treated.

FOR TREATMENT OF WOODLOTS: Tubes should be placed in a contiguous array (such as a grid design), with no more than 10 yards between tubes in any direction. For complete coverage, apply tubes up to the brush-covered edge surrounding the woodlot. Tubes placed near thickets or rotting logs within the woodlot will be more effective than those placed in more open woodland terrain.

Tubes may be applied anytime between April 1 and mid-September, but should be applied at least twice a year. For best results, apply just prior to the feeding activity periods for nymphal (May-June) and larval (August-September) ticks. Tubes may also be replaced when nesting material is completely removed. The tubes and unused cotton are biodegradable and may be left in the application site.

STORAGE: Store at room temperature. Do not contaminate water, food or feed by storage.

DISPOSAL: If empty: Do not reuse this container. Place in trash or offer for recycling if available.

If partly filled: Call your local solid waste agency or 1-800-234-8425 for disposal instructions. Never place unused product down any indoor or outdoor drain.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS: Avoid contact with eyes and skin. Contact with skin may result in temporary numbing and tingling sensations. Wash thoroughly with soap after handling.

ENVIRONMENTAL HAZARDS: This product is extremely toxic to fish and other aquatic organisms. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by disposal of wastes or equipment washwaters.

12/28/09

New York State Department
of Environmental Conservation
Division of Solid & Hazardous Materials
Pesticide Product Registration**DAMMINIX® A TICK TOXICANT**

As an aid in the control of ticks (that may carry Lyme Disease) that infest mice and nests of mice found around yards, play areas, parks, brush, paths, and in woodlands.

EPA Reg. No. 56783-1

EPA Est. No. 5693 MA1

ACTIVE INGREDIENT: +* Permethrin 7.4%

INERT INGREDIENTS: 92.6%

Total 100.0%

+ (3-phenoxyphenyl) methyl (+/-) cis/trans 3-(2,2 dichloroethenyl)2, 2-dimethylcyclopropanecarboxylate.

* Cis/trans ratio: Min. 35% (+/-) cis and max. 65% (+/-) trans.

CAUTION: KEEP OUT OF REACH OF CHILDREN**FIRST AID****INGESTION - If swallowed:**

- Call a poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by a poison control center or doctor.
- Do not give anything by mouth to an unconscious person.

EXPOSURE, SKIN IRRITATION - If on skin or clothing:

- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment advice.

EYES - If in eyes:

- Hold eye open and rinse slowly and gently with water for 15-20 minutes.
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment.

DIRECTIONS FOR USE: It is a violation of Federal law to use this product in a manner inconsistent with its labeling.**FOR OUTDOOR APPLICATION ONLY.** For the reduction of ticks associated with the mice that serve as reservoirs for pathogens causing Lyme disease and babesiosis. Ticks feeding on these animals become infected and may transmit disease to humans, dogs, and horses.

For best results, place tubes flat on the ground in all brush-covered and wooded areas to be treated. The maximum distance between tubes should not exceed 10 yards in any direction. Treatment should be limited to areas inhabited by mice, and need not include mown lawns or open grasslands. Tubes should be positioned so that mice have access to the open ends. Product works best if not covered by leaves or other material.

FOR TREATMENT AROUND YARDS: Place tubes within 1 yard of the edge of mown lawn, in flower gardens, under bushes and along fences, wherever mice may reside. For complete coverage, all brush-covered or wooded areas within 50 yards surrounding the yard area to be protected should be treated.**FOR TREATMENT OF WOODLOTS:** Tubes should be placed in a contiguous array (such as a grid design), with no more than 10 yards between tubes in any direction. For complete coverage, apply tubes up to the brush-covered edge surrounding the woodlot. Tubes placed near thickets or rotting logs within the woodlot will be more effective than those placed in more open woodland terrain.

Tubes may be applied anytime between April 1 and mid-September, but should be applied at least twice a year. For best results, apply just prior to the feeding activity periods for nymphal (May-June) and larval (August-September) ticks. Tubes may also be replaced when nesting material is completely removed. The tubes and unused cotton are biodegradable and may be left in the application site.

STORAGE: Store at room temperature. Do not contaminate water, food or feed by storage.**DISPOSAL: If empty:** Do not reuse this container. Place in trash or offer for recycling if available.**If partly filled:** Call your local solid waste agency or 1-800-234-8425 for disposal instructions. Never place unused product down any indoor or outdoor drain.**PRECAUTIONARY STATEMENTS****HAZARDS TO HUMANS & DOMESTIC ANIMALS:** Avoid contact with eyes and skin. Contact with skin may result in temporary numbing and tingling sensations. Wash thoroughly with soap after handling.**ENVIRONMENTAL HAZARDS:** This product is extremely toxic to fish and other aquatic organisms. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by disposal of wastes or equipment washwaters.